



Sophix Natural

And Agro Products Ltd

RC-1615742

SAFETYDATASHEET

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Product trade name : SEPIWHITE MSH

REACH Product name : 2-(undec-10-enoylamino)-3-phenylpropanoic acid

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Manufacture of cosmetics.

1.3 Details of the supplier of the safety data sheet

Supplier : SOPHIX NATURAL & AGRO PRODUCTS, LTD

Plot 9, Zone A, Liguori street, oke omi, National bus stop, along Ife Road Ibadan

Phone: 0706-1111-838

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Eye Dam.

1, H318

Classification according to Directive 67/548/EEC [DSD]

Xi; R41

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements



Hazard pictograms

:

Signal word

:

Danger

Hazard statements

:

Causes serious eye damage.

Precautionary statements

Prevention

:

Wear eye or face protection.

Wash hands thoroughly after handling.

SECTION 2: Hazards identification

Response

:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Undecylenoyl phenylalanine

Contains

:

2.3 Other hazards Substance meets the criteria for PBT according to Regulation (EC) No.

:

No.

:

P: Not available. B: Not available. T: No.

1907/2006, Annex XIII

Substance meets the criteria for vPvB according to Regulation (EC) No.

:

Not available.

1907/2006, Annex XIII

Other hazards which do not result in classification

:

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.



Sophix Natural

And Agro Products Ltd

RC-1615742

ADDITIONAL INFORMATION

Handling

Storage

: Only use for industrial purposes, prohibited to use for food processing or animal feed processing.
: STORE UNDER COVER. , Keep away from heat. , Recommended storage temperature: 15°C - 25°C

SECTION 3: Composition/information on ingredients

3.1 Substances : Multi-constituent substance

Product/ingredient name	Identifiers	%	<u>Classification</u>		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Undecylenyl phenylalanine	REACH # : 01-2119946020-52 EC: 446-800-7	80 100	Xi; R41 See Section 16 for the full text of the Rphrases declared above.	Eye Dam. 1, H318 See Section 16 for the full text of the H statements declared above.	[*]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section. Type

[*] Substance

[A] Constituent

[B] Impurity

[C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

SECTION 4: First aid measures

Inhalation : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-



Sophix Natural

And Agro Products Ltd

RC-1615742

contained breathing apparatus.
mouth-to-mouth resuscitation.
removing it, or wear gloves.

It may be dangerous to the person providing aid to give
Wash contaminated clothing thoroughly with water before

4.2 Most important symptoms and effects, both acute and delayed Potential acute

health effects

- Eye contact** : Causes serious eye damage.
- Inhalation** : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : May cause burns to mouth, throat and stomach.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering redness
- Inhalation** : Adverse symptoms may include the following:
respiratory tract irritation coughing
- Skin contact** : Adverse symptoms may include the following: pain or
irritation redness
blistering may occur
- Ingestion** : Adverse symptoms may include the following: stomach
pains

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician Specific treatments** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- : No specific treatment.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media Suitable extinguishing media** : Use dry chemical powder. **media**

- Unsuitable extinguishing media** : Do not use water jet.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : Fine dust clouds may form explosive mixtures with air.
- Hazardous thermal decomposition products** : No specific data.

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".



Sophix Natural

And Agro Products Ltd

RC-1615742

6.2 Environmental : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains **precautions** and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling :

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Only use for industrial purposes, prohibited to use for food processing or animal feed processing.
High ignition sensitivity. Take additional precautions and restrictions regarding use of high resistivity materials (plastics)

Typical static discharges precautions

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
STORE UNDER COVER. , Keep away from heat. , Recommended storage temperature: 15°C - 25°C

7.2 Conditions for safe storage, including any incompatibilities

Not available.
Not available.

7.3 Specific end use(s)

Recommendations

Industrial sector specific solutions



Sophix Natural

And Agro Products Ltd

RC-1615742

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

exposure limit value known.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

SECTION 8: Exposure controls/personal protection

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion proof ventilation equipment.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Recommended : nitrile rubber . PVC

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.
In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties



Sophix Natural

And Agro Products Ltd

RC-1615742

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	Solid. [Powder.]
Colour	:	White to yellowish.
Odour	:	Bland.
Melting point/freezing point	:	78 to 80°C
Initial boiling point and boiling range	:	229 to 237°C
Flammability of the product	:	Non-flammable.
Density	:	1,08 g/cm ³ to 20 °C
Solubility	:	Soluble in the following materials: methanol and acetone. Very slightly soluble in the following materials: cold water.
Water solubility (g/l)	:	0,0302 g/l
Partition coefficient: n-octanol/ water	:	-0,04

SECTION 9: Physical and chemical properties

9.2 Other information

Granulometry : <163 µm : 50% ; <26 µm : 10% ; <15.3 µm : 5%

Dusts physical data

Minimum ignition energy : 3 to 10 mJ

The information presented in this section does not serve as specifications.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability : The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation.

: Reactive or incompatible with the following materials: oxidizing materials

10.5 Incompatible materials : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Conclusion/Summary : Not classified as dangerous

Irritation/Corrosion

Conclusion/Summary :

Skin : Non-irritating to the skin.

Eyes : Causes serious eye damage.

Sensitisation

Conclusion/Summary Skin :
: Non-sensitiser to skin.



Sophix Natural

And Agro Products Ltd

RC-1615742

Mutagenicity

Product/ingredient name	Test	Experiment	Result
SEPIWHITE MSH	OCDE 471	Experiment: In vitro Subject: Bacteria	Negative

Conclusion/Summary : Not mutagenic in Ames test.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure)

Not available.

SECTION 11: Toxicological information

Aspiration hazard Not available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure Long

term exposure

Potential chronic health effects Chronic toxicity

Product/ingredient name	Result	Test	Dose	Exposure
SEPIWHITE MSH	Chronic NOAEL Oral	OCDE 422	50 mg/kg bw/day (systemic toxicity)	28 days
	Chronic NOAEL Oral	OCDE 422	600 mg/kg bw/day (Reproductive toxicity and Developmental toxicity)	28 days

General : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Test	Species	Exposure
SEPIWHITE MSH	Acute EC ₅₀ >110 mg/l Acute LC ₅₀ 78 to 105 mg/l	OCDE 202 OCDE 201	Daphnia Algae	48 hours 72 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	In oculum
SEPIWHITE MSH	OCDE 301B	% Ready 28 days	13,8 mg/l DOC	Activated sludge
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability	
SEPIWHITE MSH RC-1615742	-	-	Ready	

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
SEPIWHITE MSH	-0,04	-	low

2.3

12.4 Mobility in soil Soil/water partition : Not available. coefficient (KOC)

12.5 Results of PBT and vPvB assessment

SECTION 12: Ecological information

PBT : No.
P: Not available. B: Not available. T: No.

vPvB : Not available.
v P: Not available. vB: Not available.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-



Sophix Natural

And Agro Products Ltd

RC-1615742

14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.			
Additional information	-	-	-	-

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern None of the components are listed.

Annex XVII - Restrictions on : Not applicable.

the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles
Other EU regulations

Europe inventory

: At least one component is not listed in EINECS but all such components are listed in ELINCS.
Please contact your supplier for information on the inventory status of this material.

EC number : 446-800-7

15.2 Chemical Safety Assessment : Not applicable.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and : ATE = Acute Toxicity Estimate **acronyms** CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement

PNEC = Predicted No Effect Concentration

RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Eye Dam. 1, H318	On basis of test data

Full text of abbreviated H statements : H318 Causes serious eye damage.

Full text of classifications : Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 [CLP/GHS]



Sophix Natural

And Agro Products Ltd

RC-1615742

Full text of abbreviated R phrases : R41 - Risk of serious damage to eyes.

Full text of classifications [DSD/DPD] : Xi - Irritant

History

SECTION 16: Other information

The information contained in this document is provided as a guideline; it is based on the extent of SOPHIX NATURAL AGRO & PRODUCTS LTD knowledge regarding the product on the date indicated above. It applies to the product as is, in conformity with the specifications provided by SOPHIX NATURAL AGRO & PRODUCTS LTD. Should the product undergo chemical transformation or be combined or mixed with other substances, it is the sole responsibility of the user to ensure that no new danger appears. Given that the use of this information is beyond the control of SOPHIX NATURAL AGRO & PRODUCTS LTD, SOPHIX NATURAL AGRO & PRODUCTS LTD provides no warranty, whether express or implied, and assumes no responsibility, regarding the use of this information and of the user's product.